


VON HOLZHAUSEN



STRUKTUR™

TECHNICAL DATA SHEET


The Palette



Black



Ultramarine



Optic White



Flame




Parchment



Slate




Greige



Brick

*Custom colors and grains can be ordered with a surcharge.



STRUKTUR™

A future-focused fabric engineered for extreme wear. Struktur is the triathlete of leather alternatives, combining a sleek texture with maximum durability to meet the toughest technical specifications.

CUSTOMIZATION

Struktur uses a layered construction, allowing for a modular approach to customization while maintaining sustainability and performance targets.



Recycled
Content



Bio & Plant
Based Content



Enhanced
Biodegradation



Custom Grain



Custom Color



Custom Thickness




Ink Resistant



Fire Resistant



Anti-Microbial



VON HOLZHAUSEN

FEELS

|
silky, cloud-like and
remarkably durable




LOOKS

|
sleek, modern
and clean

APPLICATIONS

|
designed for cars,
acing every stress test




VON HOLZHAUSEN

GENERAL MATERIAL SPECS

Topcoat Content	100% Solvent-Free PU
Backing Fabric Content	100% Post Consumer Recycled PET
Width	54 Inches
Weight	460 g/m ²
Thickness	1.15±0.05 mm
GRS Certified	Certificate upon request
Biodegradation	Included upon request

TECHNICAL SPECS

TEST	TEST STANDARD	UNIT	RESULT
Flammability	ISO 3795	mm/min	77
Weight	ISO 2420	g/sqm	460
Finished Thickness	ISO 2589	mm	1
Tear Strength	ISO 4674-1	N	MD=74&XMD=51
Seam Strength	ISO 13935-1	N	MD=1012&XMD=1027
Tensile Elongation	ISO 1421	%	MD=159&XMD=161
Bally Flex	ISO 32100	Room Temperature Dry	100,000 OK
Taber Abrasion	ISO 5470	grade	4.5



VON HOLZHAUSEN

Contact

Emma Reynolds

Director of Technical Sales

emma@vonholzhausen.com

